

TUYAU PRÉ-ISOLÉ

ACCESSOIRES

RACCORDS



Raccord de compression PaP


	DN (NPT)	øint
no. ITEM	in	mm
AHC25M	3/4	20
AHC32M	1	26
AHC40M	1 1/4	32
AHC50M	1 1/2	40
AHC63M	2	51
AHC75M	2 1/2	61
AHC90M	3	73
AHC110M	3 1/2	90
AHC125M	4	102



Raccord union PaP

	DN (NPT)	øint
no. ITEM	in	mm
AHC25C	3/4	20
AHC32C	1	26
AHC40C	1 1/4	32
AHC50C	1 1/2	40
AHC63C	2	51
AHC75C	2 1/2	61
AHC90C	3	73
AHC110C	3 1/2	90
AHC125C	4	102

APPLICATIONS



JOINTS

Ensemble de joint complet



		DN (NPT)	ØGAINE
		in	mm
TUYAU SIMPLE	AKSIS16075	2 1/2	160
	AKSIS16090	3	160
	AKSIS200110	3 1/2	200
	AKSIS225125	4	225
TUYAU DOUBLE	AKSIS14025	3/4	140
	AKSIS14032	1	140
	AKSIS16040	1 1/4	160
	AKSIS16050	1 1/2	160
	AKSIS20063	2	200



Joint en T

		Øext GAINE
no. ITEM	mm	
ATIK140/90	140/110/90	
ATIK225/140	225/200/160/140	

Des manchons thermorétractables de taille appropriés doivent être installés afin d'assurer l'étanchéité du joint

Manchon thermorétractable



		ØGAINE
		mm
TUYAU SIMPLE	ASEC75	75
	ASEC90	90
	ASEC160	160
	ASEC200	200
	ASEC225	225
TUYAU DOUBLE	ASECD140	140
	ASECD160	160
	ASECD200	200

Ensemble de joint pour gaine



		ØGAINE
no. ITEM	mm	
ASIS140	140	
ASIS160	160	
ASIS200	200	
ASIS225	225	



Inclus une section du tube rigide,
2 gâines thermorétractables et de l'isolant



 **AUTONOM**

LES CHAUDIÈRES AUTONOM / AUTONOM BOILERS

670, avenue J-A Doyon Saint-Joseph-de-Beauce (Québec) G0S 2V0

 www.autonomboilers.com  info@autonomboilers.com

 +1 418-397-4300

